


Amendments to the Claims

This Listing of the Claims will replace all prior versions, and listings, of claims in the application.

Listing of the Claims:

1.-16. (Cancelled).

17. (Currently Amended) An anthranilic acid amide of formula I,



wherein

R and R₀ represents H, halogen,

R represents halogen, alkynyl, alkenyl, alkyl, which in each case is unsubstituted or substituted by halogen;

unsubstituted or substituted mono- or bicyclic aryl;

unsubstituted or substituted mono- or bicyclic heteroaryl having 1 to 3 heteroatoms selected from O, N or S;

unsubstituted or substituted heterocycll having at least one N atom;

mono- or dialkyl amino, wherein the alkyl radical is unsubstituted or substituted by

unsubstituted or substituted aryl, unsubstituted or substituted mono- or bicyclic heteroaryl having 1 to 3 heteroatoms selected from O, N or S or substituted by unsubstituted or substituted heterocycll having at least one N atom;

unsubstituted or substituted heterocycl carbonyl alkyl amino, wherein the heterocycl radical comprises at least one N atom;


R_1 represents H, halogen, unsubstituted or substituted C_{1-7} alkyl, C_{2-7} alkenyl, C_{2-7} alkynyl, alkoxy or a radical

$-O-(CH_2)_n-CF_3$, wherein n is 0, 1, 2 or 3,


R_2 is perfluoro alkyl,

R_3 represents H or halogen,

X represents hydroxy, alkoxy, alkyl thio, imino, alkyl imino, halogen, a radical of formula I'



wherein G is CH_2 or NH and R_4 is hydrogen, alkyl or aryl, or a radical of formula I'



wherein R_5 is alkyl or aryl,

Z is CH, and

wherein the methylen group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 3-, position,

under the proviso that R cannot represent H, if Z is nitrogen, X is hydroxy or methoxy and wherein the methylen group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 3-position, R_1 and R_3 cannot both represent H if Z is CH, R represents H, X is hydroxy, alkoxy or alkyl thio and wherein the methylen group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 3-position, and R_1 and R_3 cannot both represent H if Z is CH, R and R_0 both represent H, R_2 represents trifluoromethyl, X is bromo or hydroxy and wherein the methylen group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 4-position,

or an N-oxide or a tautomer thereof,

or a salt of such anthranilic acid amide, its N-oxide or its tautomer.

18. (Cancelled).

19. (Cancelled).

20. (Cancelled).

21. (Cancelled).

22. (Cancelled).

23. (Currently Amended) An anthranilic acid amide of formula I according to claim 17, wherein

R represents H, halogen, allyl, 3-methyl-buten-2-yl, propyl, ethylamino, pyridylethylamino, morpholinylethylamino, N-methyl-piperazinylpropylamino, N-methyl-piperazinylethylamino, N-methyl-piperazinylacetylamino, benzylamino, thienyl, pyridyl, furanyl, thiazolyl, naphthyl or phenyl which is unsubstituted or substituted by trifluoromethyl, phenyl, formyl or acetylamino,

R₁ represents H, halogen, propyl, propynyl,

R₂ is trifluoromethyl,

R₃ represents H or halogen,

X represents hydroxy, lower alkoxy, halogen,

a radical of formula I' wherein R₄ is hydrogen or lower alkyl, or

a radical of formula I" wherein R₅ is lower alkyl,

Z is CH, and

~~wherein the methylen group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 3- or 4-position,~~

under the proviso that R₁ and R₃ cannot both represent H in compounds of formula I wherein

R represents H, X is hydroxy, lower alkoxy or lower alkyl thio and wherein the methylen group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 3-position, R₁ and R₃ cannot both represent H if R and R₀ both represent H, X is bromo or hydroxy and wherein the methylen group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 4-position,

or an N-oxide or a tautomer thereof,

or a salt of such anthranilic acid amide, its N-oxide or its tautomer.

24. (Currently Amended) An anthranilic acid amide of formula I according to claim 17, wherein

R represents halogen, lower alkenyl, lower alkyl, pyridyl lower alkyl amino, morpholiny lower alkyl amino, lower alkyl piperazinyl lower alkyl amino, lower alkyl piperazinyl carbonyl lower alkyl amino, phenyl lower alkyl amino, lower alkyl amino, thienyl, pyridyl, furanyl, thiazolyl, naphthyl or phenyl which is unsubstituted or substituted by trifluoromethyl, phenyl, lower alkanoyl or lower alkanoyl amino,

R₁ represents H,

R₂ is trifluoromethyl,

R₃ represents H,

X represents hydroxy or lower alkoxy,

Z is CH, and

~~wherein the methylene group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 3- or 4-position,~~

or an N-oxide or a tautomer thereof,

or a salt of such anthranilic acid amide, its N-oxide or its tautomer.

25. (Previously Presented) An anthranilic acid amide of formula I according to claim 17 selected from

2-[(6-Methoxy-3-pyridinyl)methyl]amino-N-[4-bromo-3-(trifluoromethyl)phenyl]benzamide,

2-[(2-Bromo-4-pyridinyl)methyl]amino-N-[(3-trifluoromethyl)phenyl]benzamide,

2-[(6-Methoxy-4-pyridinyl)methyl]amino-N-[3-(trifluoromethyl)phenyl]benzamide,

2-[(6-Methoxy-3-pyridinyl)methyl]amino-N-[2-fluoro-3-(trifluoromethyl)phenyl]benzamide,

2-[(6-Methoxy-3-pyridinyl)methyl]amino-N-[4-chloro-3-(trifluoromethyl)phenyl]benzamide,

2-[(6-Methoxy-3-pyridinyl)methyl]amino-N-[4-(1-propynyl)-3-(trifluoromethyl)phenyl]-benzamide,

2-[(6-Methoxy-3-pyridinyl)methyl]amino-N-[4-(1-propyl)-3-(trifluoromethyl)phenyl]benzamide hydrochloride salt,

2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino-N-[4-propynyl-3-(trifluoromethyl)phenyl]benzamide,

2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino-N-[4-propyl-3-(trifluoromethyl)phenyl]benzamide,

2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino-N-[2-fluoro-3-(trifluoromethyl)phenyl]benzamide,

2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino]-N-[4-chloro-3-(trifluoromethyl)-phenyl]benzamide,
2-[(2-(1-Ethoxyethenyl)-4-pyridinyl)methyl]amino-N-[(3-trifluoromethyl)phenyl]benzamide,
2-[(2-Acetyl-4-pyridinyl)methyl]amino-N-[(3-trifluoromethyl)phenyl]benzamide,
2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino]-N-[4-(2,2,2-trifluoroethoxy)-3-(trifluoromethyl)phenyl]benzamide,
2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino]-N-[2-fluoro-4-(2,2,2-trifluoroethoxy)-3-(trifluoromethyl)phenyl]benzamide,
2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino]-N-[4-(2,2,2-trifluoropropoxy)-3-(trifluoromethyl)phenyl]benzamide,
2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino]-N-[4-trifluoromethoxy)-3-(trifluoromethyl)phenyl]benzamide,
2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino]-N-[4-(2,2,2-trifluoroethoxy)-3-(trifluoromethyl)phenyl]nicotinamide,
2-[(6-Methoxy-3-pyridinyl)methyl]amino-N-[4-fluoro-3-(trifluoromethyl)phenyl]benzamide,
2-[(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino]-N-[4-fluoro-3-(trifluoromethyl)-phenyl]benzamide,
2-[(5-Bromo-6-methoxy-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(1,6-Dihydro-5-bromo-6-oxo-3-pyridinyl)methyl]amino]-N-[3-(trifluoromethyl)-phenyl]benzamide,
2-[(6-Methoxy-5-phenyl-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(6-Oxo-5-phenyl-1,6-dihydro-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(5-Allyl-6-methoxy-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(5-ⁿPropyl-6-methoxy-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(5-Allyl-6-oxo-1,6-dihydro-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(5-ⁿPropyl-6-oxo-1,6-dihydro-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(5-Ethylamino-6-methoxy-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(5-Ethylamino-6-oxo-1,6-dihydro-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(5-[2-(4-Methyl-piperazin-1-yl)-ethylamino]-6-oxo-1,6-dihydro-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,
2-[(6-Methoxy-5-[2-(4-methyl-piperazin-1-yl)-ethylamino]-pyridin-3-yl)methyl]-amino]-N-(3-trifluoromethyl-phenyl)-benzamide,


2-{{(5-[2-(4-Methyl-piperazin-1-yl)-ethyl]amino}-6-oxo-1,6-dihydro-pyridin-3-yl)methyl}-amino)-N-(3-trifluoromethyl-phenyl)-benzamide,
 2-{{(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino}-N-(4-methyl-3-trifluoromethyl-phenyl)benzamide,
 2-{{(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino}-N-[3-(4-ethyl-piperazin-1-yl)methyl]-5-trifluoromethyl-phenyl]benzamide,
 2-{{(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino}-N-[3-(azetidin-1-yl)methyl]-5-trifluoromethyl-phenyl]benzamide,
 2-[(6-Methoxy-3-pyridinyl)methyl]amino-N-[4-(4-methyl-piperazin-1-yl)methyl]-3-trifluoromethyl-phenyl]benzamide,
 2-{{(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino}-N-[4-(4-methyl-piperazin-1-yl)methyl]-3-trifluoromethyl-phenyl]benzamide,
 2-{{(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino}-N-4-[(2-(dimethylamino)ethyl)methyl]amino}-3-trifluoromethyl-phenyl]benzamide, and
 2-{{(1,6-Dihydro-6-oxo-3-pyridinyl)methyl]amino}-N-5-(5-Methyl-1H-imidazol-1-yl)-3-trifluoromethyl-phenyl]benzamide,
 or a tautomer thereof,
 or a salt of such anthranilic acid amide or its tautomer.


26. (Previously Presented) An anthranilic acid amide of formula I according to claim 17
 wherein

R_1 and R_3 are H, R_2 is CF_3 , Z is CH, X is OH or OMe,

the methylen group is attached to the pyridyl moiety at the carbon atom of the pyridyl moiety in 3-position and

R is a radical selected from the following group:





27. (Previously Presented) An anthranilic acid amide of formula I according to claim 17, or an N-oxide or a tautomer thereof, or a pharmaceutically acceptable salt of such a compound, for use in a method for the treatment of the human or animal body.


28. (Cancelled).

29. (Cancelled).

30. (Previously Presented) A method for the treatment of a neoplastic disease which responds to an inhibition of the VEGF-receptor tyrosine kinase activity, which comprises administering an anthranilic acid amide of formula I according to claim 17, or a N-oxide or a tautomer thereof, or a pharmaceutically acceptable salt of such anthranilic acid amide, its N-oxide or its tautomer, in a quantity effective against said disease, to a warm-blooded animal requiring such treatment.


31. (Previously Presented) A pharmaceutical preparation, comprising an anthranilic acid amide of formula I according to claim 17; or an N-oxide or a tautomer thereof, or a pharmaceutically acceptable salt of such a compound, or a hydrate or solvate thereof, and at least one pharmaceutically acceptable carrier.

32. (Currently Amended) A process for the preparation of an anthranilic acid amide of formula I




wherein X represents lower alkoxy, lower alkylthio, lower alkylimino or halogen and the remaining symbols R, R₀, R₁, R₂, R₃ and Z are as defined in claim 17 for a compound of the formula I,

wherein a compound of the formula II



wherein R₀, R₁, R₂, R₃ and Z are as defined for a compound of the formula I, is reacted with a carbonyl compound of the formula III



wherein X represents lower alkoxy, lower alkylthio, lower alkylimino or halogen and R is as defined for a compound of the formula I, in the presence of a reducing agent,

wherein the starting compounds of formula II and III may also be present with functional groups in protected form and/or in the form of salts, provided a salt-forming group is present and the reaction in salt form is possible;

wherein any protecting groups in a protected derivative of a compound of the formula I are removed; and, if so desired, an obtainable compound of formula I is converted into another compound of formula I or a N-oxide thereof, a free compound of formula I is converted into a salt, an obtainable salt of a compound of formula I is converted into the free compound or another salt.